

DuPont™ Suva® refrigerants

DuPont™ Suva® 95 – Saturated Pressure Temperature Chart

Temperature, °F	Pressure, psig	Temperature, °F	Pressure, psig	Temperature, °F	Pressure, psig
-190	27.7*	-108	10.8	-26	146.0
-188	27.5*	-106	12.2	-24	151.8
-186	27.3*	-104	13.8	-22	157.9
-184	26.9*	-102	15.3	-20	164.1
-182	26.7*	-100	17.0	-18	170.4
-180	26.3*	-98	18.8	-16	176.9
-178	25.8*	-96	20.6	-14	183.6
-176	25.4*	-94	22.5	-12	190.5
-174	25.0*	-92	24.4	-10	197.5
-172	24.6*	-90	26.4	-8	204.7
-170	24.2*	-88	28.6	-6	212.1
-168	23.6*	-86	30.8	-4	219.7
-166	23.0*	-84	33.0	-2	227.5
-164	22.4*	-82	35.4	0	235.4
-162	21.8*	-80	37.9	2	243.5
-160	21.0*	-78	40.4	4	251.9
-158	20.4*	-76	43.1	6	260.4
-156	19.5*	-74	45.8	8	269.0
-154	18.7*	-72	48.6	10	278.0
-152	17.7*	-70	51.6	12	287.2
-150	16.9*	-68	54.6	14	296.5
-148	15.7*	-66	57.7	16	306.9
-146	14.7*	-64	61.0	18	315.8
-144	13.4*	-62	64.3	20	325.8
-142	12.2*	-60	67.8	22	336.0
-140	11.0*	-58	71.4	24	346.4
-138	9.6*	-56	75.1	26	357.0
-136	8.1*	-54	78.9	28	367.9
-134	6.9*	-52	82.8	30	379.0
-132	5.1*	-50	86.8	32	390.4
-130	3.0*	-48	91.0	34	401.9
-128	1.4*	-46	95.3	36	413.8
-126	0.3	-44	99.8	38	425.8
-124	1.2	-42	104.3	40	438.1
-122	2.1	-40	109.0	42	450.7
-120	3.2	-38	113.9	44	463.5
-118	4.3	-36	118.9	46	476.6
-116	5.5	-34	124.0	48	490.0
-114	6.7	-32	129.3	50	503.6
-112	8.0	-30	134.7	52	517.5
-110	9.4	-28	140.3	54	531.6

* Indicates inches of mercury vacuum. All others are psig.



The DuPont Oval Logo, DuPont™, The miracles of science™, and Suva® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

The miracles of science™

For Further Information:

DuPont Fluorochemicals
Wilmington, DE 19880-0711
(800) 235-SUVA
www.suva.dupont.com

Europe

DuPont de Nemours
International S.A.
2 Chemin du Pavillon
P.O. Box 50
CH-1218 Le Grand-Saconnex
Geneva, Switzerland
41-22-717-5111

Canada

DuPont Canada, Inc.
P.O. Box 2200, Streetsville
Mississauga, Ontario
Canada
L5M 2H3
(905) 821-3300

Mexico

DuPont, S.A. de C.V.
Homero 206
Col. Chapultepec Morales
C.P. 11570 Mexico, D.F.
52-5-722-1100

South America

DuPont do Brasil S.A.
Alameda Itapecuru, 506
Alphaville 06454-080 Barueri
São Paulo, Brazil
55-11-7266-8263

DuPont Argentina S.A.
Casilla Correo 1888
Correo Central
1000 Buenos Aires, Argentina
54-1-311-8167

Pacific

DuPont Australia
P.O. Box 930
North Sydney, NSW 2060
Australia
61-2-923-6165

Japan

Mitsui DuPont Fluorochemicals
Co., Ltd.
Chiyoda Honsha Bldg.
5-18, 1-Chome Sarugakucho
Chiyoda-Ku, Tokyo 101-0064 Japan
81-3-5281-5805

Asia

DuPont Taiwan
P.O. Box 81-777
Taipei, Taiwan
886-2-514-4400

DuPont China Limited
P.O. Box TST 98851
1122 New World Office Bldg.
(East Wing)
Tsim Sha Tsui
Kowloon, Hong Kong
Phone: 852-734-5398
Fax: 852-236-83516

DuPont Thailand Ltd.
9-11 Floor, Yada Bldg.
56 Silom Road
Suriyawongse, Bankrak
Bangkok 10500
Phone: 66-2-238-0026
Fax: 66-2-238-4396

DuPont China Ltd.
Rm. 1704, Union Bldg.
100 Yenan Rd. East
Shanghai, PR China 200 002
Phone: 86-21-328-3738
Telex: 33448 DCLSH CN
Fax: 86-21-320-2304

DuPont Far East Inc.
6th Floor Bangunan Samudra
No. 1 JLN. Kontraktor U1/14, SEK U1
Hicom-Glenmarie Industrial Park
40150 Shah Alam, Selangor Malaysia
Phone 60-3-517-2534

DuPont Korea Inc.
4/5th Floor, Asia Tower
#726, Yeoksam-dong, Kangnam-ku
Seoul, 135-082, Korea
82-2-721-5114

DuPont Singapore Pte. Ltd.
1 Maritime Square #07 01
World Trade Centre
Singapore 0409
65-273-2244

DuPont Far East, Philippines
8th Floor, Solid Bank Bldg.
777 Paseo de Roxas
Makati, Metro Manila
Philippines
Phone: 63-2-818-9911
Fax: 63-2-818-9659

DuPont Far East Inc.
7A Murray's Gate Road
Alwarpet
Madras, 600 018, India
91-44-454-029

DuPont Far East Inc.—Pakistan
9 Khayaban-E-Shaheen
Defence Phase 5
Karachi, Pakistan
92-21-533-350

DuPont Far East Inc.
P.O. Box 2553/Jkt
Jakarta 10001, Indonesia
62-21-517-800

The information contained herein is based on technical data and tests which we believe to be reliable and is intended for use by persons having technical skill, at their own discretion and risk. Because conditions of use are outside of DuPont control, we can assume no liability for results obtained or damages incurred through the application of the data presented.

